

PHD THESIS OFFER:

Harmonic Neural Networks for Physics-informed Machine Learning

Supervisors: Marc Sebban¹, Benjamin Girault²

Applications: Send your application to the emails listed below **before March 31st, 2025**

Documents for the application: Resume, transcripts, and motivation letter

E-mails: benjamin.girault@inria.fr, marc.sebban@inria.fr

Location: Inria project-team MALICE³, Laboratoire Hubert Curien, Saint-Étienne, France

Keywords: Physics-informed Machine Learning, Fourier transform

MOTIVATIONS AND DESCRIPTION

The dynamics of many physical systems can be described using a *Partial Differential Equation* (PDE) where the temporal evolution of a physical quantity is given by a combination of its spatial derivatives. Classical examples include the *Heat Equation* for the diffusion of heat in a space, or the *Navier-Stokes Equation* for the velocity of a fluid. *Physics-Informed Neural Networks* (PINNs) have been proposed to learn a solution of such a PDE in the form of a neural network mapping spatio-temporal coordinates to the value of the solution at this input location [3]. Unfortunately, PINNs are hard to optimize and underperform compared to state of the art numerical methods [2].

The goal of this PhD is to explore several novel neural architectures mapping time and spatial harmonics to harmonic components over time of the solution, such as **learning the temporal evolution of the Fourier transform of the solution**. This work will involve: i) developing and implementing novel neural network architectures solving PDEs fully or partial in a harmonic domain, ii) developing and implementing new losses deriving from PDE residual minimization to train these neural networks, iii) evaluating their efficacy compared to PINNs, alternative Physics-Informed Machine Learning methods, and state of the art numerical methods, and iv) obtaining theoretical guarantees such as approximation errors.




Figure 1: Difference between PINNs and a *Spectral Neural Network* (SNN) with the example of a heat equation solution u . The system starts in the state $u(t = 0, x)$ giving the temperature for all locations x at the initial time $t = 0$. The *Fourier Transform* (FT) maps its input to the input's spectral representation. The goal of the PhD is to study various implementations of the blue approach.

This topic includes several challenges and open questions. First, the work will tackle the question of applying the inverse harmonic transform to obtain a mapping from spatio-temporal locations to the value of the solution of the PDE at these locations. The second challenge lies in the design of a loss function to allow for end-to-end learning of an harmonic neural network solution to a given PDE. Finally, the third challenge will be to derive theoretical guarantees such as approximation errors similar to [1] for the proposed networks.

We will apply the proposed methods to 3 physical settings: the diffusion of heat following the heat equation, fluid velocity following the Navier-Stokes equation, and laser-matter interactions modelled with Swift-Hohenberg equation.

¹<https://perso.univ-st-etienne.fr/sebbanma/>

²<https://www.benjamin-girault.com/>

³<https://labhc-malice.github.io/>

EXPECTED RESULTS

- ▶ Develop novel loss functions for physics-informed harmonic neural networks
- ▶ Implement both the architecture and the loss using DeepXDE
- ▶ Run experiments solving various PDEs and compare the efficacy of the approach to: i) PINNs using DeepXDE, and ii) State of the art numerical methods
- ▶ Study theoretical guarantees of such networks

PROFILE SOUGHT

M2 / 3rd year Engineering School student in:

- ▶ Applied mathematics, Signal processing or Computer science with strong skills in machine learning and an appetite for physics problems,
- ▶ (or) Physics who wishes to engage with AI and machine learning.

REFERENCES

- [1] B. Girault, R. Emonet, A. Habrard, J. Patracone, and M. Sebban. Approximation error of sobolev regular functions with tanh neural networks: Theoretical impact on pinns. In A. Bifet, J. Davis, T. Krilavičius, M. Kull, E. Ntoutsi, and I. Žliobaitė, editors, *Machine Learning and Knowledge Discovery in Databases. Research Track*, page 266–282, Cham, 2024. Springer Nature Switzerland.
- [2] T. G. Grossmann, U. J. Komorowska, J. Latz, and C.-B. Schönlieb. Can physics-informed neural networks beat the finite element method? *IMA Journal of Applied Mathematics*, 89(1):143–174, may 2024.
- [3] M. Raissi, P. Perdikaris, and G. Karniadakis. Physics-informed neural networks: A deep learning framework for solving forward and inverse problems involving nonlinear partial differential equations. *Journal of Computational Physics*, 378:686–707, 2019.